

MAGNETIC WHITEBOARD FILMS ADVANCED

ADVANCED OFFICE UPGRADE



MAGNETIC WHITEBOARD

This film laminated to a ferrous film transforms your smooth or glazed surfaces into an erasable whiteboard with the possibility of being able to set any documents using magnets.



TECHNICAL DATASHEET

Data calculated based on film applied to clear glass 3 mm thick (*on double glazing 4-16-4)

Ultraviolet transmission	1 %
Visible light transmission	0 %
Reflection of external visible light	80 %
Reflection of internal visible light	5 %
Total solar energy rejected	99 %
Total solar energy rejected 2*	99 %
Solar ratio :	
Solar energy reflection	85 %
Solar energy absorption	15 %
Solar energy transmission	0 %
Reduction in Solar Glare	100 %
g-value	0,05
u-value	5
Shading coefficient	0,0
Installation type : Interior	
Roll length	10-20 m
Film composition	PET +
	IRON
Thickness	550 μ

INSTALLATION ADVICE

Vertical installation and on standard glass surface**

Clear single pane	-
Tinted single pane	-
Reflective tinted single pane	-
Clear double pane	-
Tinted double pane	-
Reflective tinted double pane	-
Gas-filled double pane - Low E	-
STADIP EXT. clear double pane	-
STADIP INT. clear double pane	-

✓ Yes Caution × Not recommended

*Recommendations provided on the basis of a glazed surface covering up to 2.5m², contact us for definitive details or to obtain a thermal chock analysis report.



MAINTENANCE INSTRUCTIONS

4. PS adhesive, polymerizes with glass within 15 days **5.** Protection release liner, disposable after installation

1. White PVC compatible with erasable pen

Colour from the outside : WHITE

CONSTRUCTION

Bonding adhesive
500µ ferrous film

Soapy water solution (ref. 0805 Film on), do not clean for at least a month and do not apply any type of sticker or adhesive on the film.

Non-contractual data, SOLAR SCREEN® reserves the right to modify the composition of its films at any time. Consult our guarantee vouchers and our general conditions of sale.

SOLAR SCREEN® EUROPEAN SALES CENTER 18 Rue du Commerce L-3895 FOETZ TEL : +352 26 00 84 82 WWW.SOLARSCREEN.EU